

Asahi Kasei Xyron® G702V Modified Polyphenylene Ether

Category : Polymer , Thermoplastic , Polyphenylene Ether/PPO , Polyphenylene Ether, Glass/Graphite Reinforced

Material Notes:

Applications: Automotive: Door Handles, Fuse Carriers, Fuse Box Covers, Interior Electrical Outlets, Interior Plugs/Switches, Interior High Precision Parts Electrical and Industrial: Pool and Spa Parts, Impellers, Valve Bodies, Electrical Base Pans, Fuse Box Components, Control Boxes, Electrical Boxes, Battery Cases
Information provided by Asahi Kasei

Order this product through the following link:

http://www.lookpolymers.com/polymer_Asahi-Kasei-Xyron-G702V-Modified-Polyphenylene-Ether.php

Physical Properties	Metric	English	Comments
Specific Gravity	1.22 g/cc	1.22 g/cc	23°C
Filler Content	20 %	20 %	

Mechanical Properties	Metric	English	Comments
Tensile Strength, Yield	94.0 MPa	13600 psi	
Flexural Modulus	4.85 GPa	703 ksi	
Izod Impact, Notched	0.980 J/cm	1.84 ft-lb/in	ASTM 3.2mm

Thermal Properties	Metric	English	Comments
Deflection Temperature at 1.8 MPa (264 psi)	139 °C	282 °F	
Flammability, UL94	V-1	V-1	

Electrical Properties	Metric	English	Comments
Dielectric Constant	3.2	3.2	50% RH
	@Frequency 1e+6 Hz	@Frequency 1e+6 Hz	

Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.com

Email : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215,Fengxian District, Shanghai City,China