

Esstech X-739-0000 Ethoxylated Bis Phenol A Dimethacrylate, C39H56O12

Category : Polymer , Thermoset , Epoxy , Epoxy Cure Resin

Material Notes:

This form of EBPADMA has 8 units of ethoxylation. Increasing the ethoxylated chain length increases the mobility of the molecule and therefore its reactivity and degree of conversion. Listed on the Toxic Substance Control Act List. CAS # 41637-38-1. Information provided by ESSTECH, Inc.

Order this product through the following link:

http://www.lookpolymers.com/polymer_Esstech-X-739-0000-Ethoxylated-Bis-Phenol-A-Dimethacrylate-C39H56O12.php

Physical Properties	Metric	English	Comments
Specific Gravity	1.122 g/cc	1.122 g/cc	
Viscosity	525 cP @Temperature 25.0 °C	525 cP @Temperature 77.0 °F	
Molecular Weight	716.8 g/mol	716.8 g/mol	

Optical Properties	Metric	English	Comments
Refractive Index	1.518	1.518	

Processing Properties	Metric	English	Comments
Moisture Content	<= 0.20 %	<= 0.20 %	

Descriptive Properties	Value	Comments
Acidity (% Methacrylic Acid)	< 0.05	
MeHQ Inhibitor (ppm)	150-250	
Purity (%)	> 87	

Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.comEmail : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215,Fengxian District, Shanghai City,China