

Mytex Polymers 1391 Polypropylene, Non-filled, Compounded

Category : Polymer , Thermoplastic , Polypropylene (PP)

Material Notes:

Description: 1391 is a non-filled compounded polypropylene produced for automotive applications. Key Applications: Automotive exterior
Information provided by Mytex Polymers

Order this product through the following link:

http://www.lookpolymers.com/polymer_Mytex-Polymers-1391-Polypropylene-Non-filled-Compounded.php

Physical Properties	Metric	English	Comments
Density	0.900 g/cc	0.0325 lb/in ³	ASTM D792
Melt Flow	28 g/10 min	28 g/10 min	ASTM D1238

Mechanical Properties	Metric	English	Comments
Hardness, Rockwell R	71	71	ASTM D785
Tensile Strength, Yield	24.0 MPa	3480 psi	50 mm/min; ASTM D638
Flexural Modulus	1.25 GPa	181 ksi	Tangent; 1.3 mm/min; ASTM D790
Izod Impact, Notched	1.50 J/cm @Temperature 23.0 °C	2.81 ft-lb/in @Temperature 73.4 °F	ASTM D256

Thermal Properties	Metric	English	Comments
Deflection Temperature at 0.46 MPa (66 psi)	97.0 °C	207 °F	ASTM D648

Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.com

Email : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215, Fengxian District, Shanghai City, China