

## Toho Tenax Besfight® G40-800 6K IMA-5C EP03 Continuous Filament Carbon Fiber

Category : Carbon , Carbon Fiber , Other Engineering Material , Composite Fibers

### Material Notes:

Intermediate Modulus; Collimated; Polyacrylonitrile (PAN) based fiber Typical values; measured by Toho Strand Test Method based on JIS R7601 for fiber selection purposes. Information provided by Toho Carbon Fibers, a wholly owned subsidiary of Toho Tenax Co., Ltd.

Order this product through the following link:

[http://www.lookpolymers.com/polymer\\_Toho-Tenax-Besfight-G40-800-6K-IMA-5C-EP03-Continuous-Filament-Carbon-Fiber.php](http://www.lookpolymers.com/polymer_Toho-Tenax-Besfight-G40-800-6K-IMA-5C-EP03-Continuous-Filament-Carbon-Fiber.php)

Physical Properties	Metric	English	Comments
Density	1.79 g/cc	0.0647 lb/in <sup>3</sup>	
Fiber Count	2100 dtex	1890 denier	

Mechanical Properties	Metric	English	Comments
Tensile Strength, Ultimate	5580 MPa	810000 psi	
Elongation at Break	1.95 %	1.95 %	
Tensile Modulus	286 GPa	41500 ksi	

Electrical Properties	Metric	English	Comments
Electrical Resistivity	0.00140 ohm-cm	0.00140 ohm-cm	

Descriptive Properties	Value	Comments
Filament Diameter	5 µm	
Size Level	1.3%	

## Contact Songhan Plastic Technology Co.,Ltd.

Website : [www.lookpolymers.com](http://www.lookpolymers.com)

Email : [sales@lookpolymers.com](mailto:sales@lookpolymers.com)

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215,Fengxian District, Shanghai City,China