

Axiall 384FR Wire & Cable Flexible PVC

Category : Polymer , Thermoplastic , Vinyl (PVC) , PVC, Wire and Cable Grade

Material Notes:

Highly flame retardant jacketing compound recommended for direct burial applications. Information provided by Georgia Gulf. Georgia Gulf became Axiall Corporation in 2013.

Order this product through the following link:

http://www.lookpolymers.com/polymer_Axiall-384FR-Wire-Cable-Flexible-PVC.php

Physical Properties	Metric	English	Comments
Specific Gravity	1.41 - 1.45 g/cc	1.41 - 1.45 g/cc	ASTM D-792

Mechanical Properties	Metric	English	Comments
Hardness, Shore A	87 - 93	87 - 93	delayed; ASTM D-2240
Tensile Strength, Yield	19.3 MPa	2800 psi	ASTM D-638
Elongation at Yield	287 %	287 %	Air Aging: 7 days @ 121°C; 30 mil slabs; UL 1581
	350 %	350 %	ASTM D-638
100% Modulus	0.0114 GPa	1.65 ksi	ASTM D-638

Thermal Properties	Metric	English	Comments
Brittleness Temperature	-20.0 °C	-4.00 °F	ASTM D-746
Oxygen Index	31.5 %	31.5 %	ASTM D-638

Processing Properties	Metric	English	Comments
Melt Temperature	182 °C	360 °F	

Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.com

Email : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215, Fengxian District, Shanghai City, China