BASF Dimethylethylamine

Category : Fluid

Material Notes:

Formula: C4H11NCAS: 598-56-1Description: Dimethylethylamine is a colorless to yellow liquid with an amine-like odor. It is miscible in water. Synonyms: DMEA, Dimethylethylamin, N,N-Dimethylethanamine, Ethyldimethylamin, N-Ethyl-N-methylmethanaminApplications: Intermediate used in the production of Catalyst & curative for foundry resin cores, Polyurethane catalyst, Acid binder, Stabilizer for chlorinated hydrocarbonsInformation provided by BASF

Order this product through the following link:

http://www.lookpolymers.com/polymer_BASF-Dimethylethylamine.php

| Physical Properties | Metric | English | Comments |
|---------------------|------------|---------------------------|----------|
| Density | 0.676 g/cc | 0.0244 lb/in ³ | |
| Molecular Weight | 73.1 g/mol | 73.1 g/mol | |

| Thermal Properties | Metric | English | Comments | |
|--------------------|----------|----------|----------|--|
| Melting Point | -140 °C | -220 °F | | |
| Boiling Point | 36.5 °C | 97.7 °F | | |
| Flash Point | -45.5 °C | -49.9 °F | | |

| Processing Properties | Metric | English | Comments | |
|-----------------------|-----------|-----------|------------|--|
| Moisture Content | <= 0.20 % | <= 0.20 % | DIN 51 777 | |

| Descriptive Properties | Value | Comments |
|------------------------|--------|-------------------|
| Assay | >99.5% | |
| Color | <20 | APHA, DIN EN 1557 |
| Ignition Temperature | 190°C | |

Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.com Email : sales@lookpolymers.com Tel : +86 021-51131842 Mobile : +86 13061808058 Skype : lookpolymers Address : United North Road 215,Fengxian District, Shanghai City,China