

ExxonMobil Varsol™ DX 140 Naphtha Non-dearomatized Fluid

Category : Fluid

Material Notes:

Appearance: Clear/Transparent Liquid Availability: North America Information provided by ExxonMobil

Order this product through the following link:

http://www.lookpolymers.com/polymer_ExxonMobil-Varsol-DX-140-Naphtha-Non-dearomatized-Fluid.php

Physical Properties	Metric	English	Comments
Density	0.792 g/cc @Temperature 15.6 °C	0.0286 lb/in³ @Temperature 60.0 °F	ASTM D4052
Kinematic Viscosity	1.69 cSt	1.69 cSt	ASTM D445
Vapor Pressure	0.000400 bar @Temperature 20.0 °C	0.300 torr @Temperature 68.0 °F	ExxonMobil Method

Thermal Properties	Metric	English	Comments
Boiling Point	188 °C	370 °F	Initial; ASTM D86
Flash Point	62.8 °C	145 °F	ASTM D56

Descriptive Properties	Value	Comments
Aniline Point	151°F	Method E, ASTM D611
Aromatic Content	0.06	HPLC, ExxonMobil Method
Dry Point	406°F	ASTM D86

Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.com

Email : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215,Fengxian District, Shanghai City,China