

Lord Adhesives 5000 Fast Setting, High Elasticity, Low Viscosity Ethyl Cyanoacrylate Adhesive

Category : Polymer , Adhesive , Thermoset , Acrylic/Cyanoacrylate Adhesive

Material Notes:

Lord Cyanoacrylate Adhesives Lord® Cyanoacrylate Adhesives were developed for production situations requiring instant bonds and immediate handling strength, particularly when bonding rubber, metals and plastics. Lord Cyanoacrylate Adhesives offer these benefits: Instant Cure. Lord Cyanoacrylate Adhesives develop strong bonds with setting times ranging from 5 to 130 seconds. Ease of Use. Lord Cyanoacrylate Adhesives are one-component systems that facilitate set-up and minimize production costs. Good Environmental Resistance. Lord Cyanoacrylate Adhesives offer excellent resistance to weathering and aging. Lord Adhesives 5000 Fast Setting, High Elasticity, Low Viscosity Ethyl Cyanoacrylate Adhesive Fast setting. High elasticity. Low viscosity. Colorless adhesive for bonding plastic-to-metal and plastic-to-rubber. Very effective in bonding substrates with differing coefficients of expansion. MIL-A-46050C Type II, Class 1 Approved.

Order this product through the following link:

http://www.lookpolymers.com/polymer_Lord-Adhesives-5000-Fast-Setting-High-Elasticity-Low-Viscosity-Ethyl-Cyanoacrylate-Adhesive.php

Physical Properties	Metric	English	Comments
Density	1.06 g/cc	0.0382 lb/in ³	
Viscosity	30 cP	30 cP	

Processing Properties	Metric	English	Comments
Cure Time	0.0333 - 0.0667 min	0.000556 - 0.00111 hour	Plastic set time
	0.0333 - 0.0667 min	0.000556 - 0.00111 hour	Rubber set time
	0.250 - 0.417 min	0.00417 - 0.00694 hour	Metal set time

Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.com

Email : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215, Fengxian District, Shanghai City, China