

LyondellBasell Glycol Ether DB Diethylene glycol butyl ether

Category : Fluid , Solvent

Material Notes:

Information provided by Lyondell.

Order this product through the following link:

http://www.lookpolymers.com/polymer_LyondellBasell-Glycol-Ether-DB-Diethylene-glycol-butyl-ether.php

Physical Properties	Metric	English	Comments
Specific Gravity	0.955 g/cc	0.955 g/cc	20/20Â°C
Density	0.951 g/cc @Temperature 20.0 Â°C	0.0344 lb/inÂ³ @Temperature 68.0 Â°F	
Solubility in Water	100 %	100 %	20Â°C
Viscosity	4.7 cP @Temperature 25.0 Â°C	4.7 cP @Temperature 77.0 Â°F	
Molecular Weight	162.23 g/mol	162.23 g/mol	
Vapor Pressure	0.0000800 bar @Temperature 20.0 Â°C	0.0600 torr @Temperature 68.0 Â°F	
Evaporation Loss	0.30 %	0.30 %	n-BuAc=100%
Surface Tension	30 dynes/cm	30 dynes/cm	25Â°C

Thermal Properties	Metric	English	Comments
Boiling Point	230 Â°C	446 Â°F	at 760 mmHg
Flash Point	106 Â°C	223 Â°F	Tag Closed Cup

Optical Properties	Metric	English	Comments
Refractive Index	1.4316 @Temperature 25.0 Â°C	1.4316 @Temperature 77.0 Â°F	

Descriptive Properties	Value	Comments
CAS Number	112-34-5	

Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.com

Email : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215,Fengxian District, Shanghai City,China