

LyondellBasell Glycol Ether DM Diethylene glycol methyl ether

Category : Fluid , Solvent

Material Notes:

Information provided by Lyondell.

Order this product through the following link:

http://www.lookpolymers.com/polymer_LyondellBasell-Glycol-Ether-DM-Diethylene-glycol-methyl-ether.php

Physical Properties	Metric	English	Comments
Specific Gravity	1.023 g/cc	1.023 g/cc	20/20Â°C
Density	1.02 g/cc @Temperature 20.0 Â°C	0.0368 lb/inÂ³ @Temperature 68.0 Â°F	
Solubility in Water	100 %	100 %	20Â°C
Viscosity	3.9 cP @Temperature 25.0 Â°C	3.9 cP @Temperature 77.0 Â°F	
Molecular Weight	120.15 g/mol	120.15 g/mol	
Vapor Pressure	0.000267 bar @Temperature 20.0 Â°C	0.200 torr @Temperature 68.0 Â°F	
Evaporation Loss	2.0 %	2.0 %	n-BuAc=100%
Surface Tension	34.8 dynes/cm	34.8 dynes/cm	25Â°C

Thermal Properties	Metric	English	Comments
Boiling Point	194 Â°C	381 Â°F	at 760 mmHg
Flash Point	84.0 Â°C	183 Â°F	Tag Closed Cup

Optical Properties	Metric	English	Comments
Refractive Index	1.4268 @Temperature 25.0 Â°C	1.4268 @Temperature 77.0 Â°F	

Descriptive Properties	Value	Comments
CAS Number	111-77-3	

Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.com

Email : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215,Fengxian District, Shanghai City,China