

LyondellBasell PTB Propylene glycol tertiary butyl ether

Category : Fluid , Solvent

Material Notes:

Information provided by Lyondell.

Order this product through the following link:

http://www.lookpolymers.com/polymer_LyondellBasell-PTB-Propylene-glycol-tertiary-butyl-ether.php

Physical Properties	Metric	English	Comments
Specific Gravity	0.870 g/cc	0.870 g/cc	20/20°C
Density	0.875 g/cc	0.0316 lb/in ³	
	@Temperature 20.0 °C	@Temperature 68.0 °F	
Solubility in Water	18 %	18 %	20°C
Viscosity	4.0 cP	4.0 cP	
	@Temperature 25.0 °C	@Temperature 77.0 °F	
Molecular Weight	132.2 g/mol	132.2 g/mol	
Vapor Pressure	0.00375 bar	2.81 torr	
	@Temperature 20.0 °C	@Temperature 68.0 °F	
Evaporation Loss	30 %	30 %	n-BuAc=100%
Surface Tension	24 dynes/cm	24 dynes/cm	25°C

Thermal Properties	Metric	English	Comments
Boiling Point	151 °C	304 °F	at 760 mmHg
Flash Point	44.0 °C	111 °F	Tag Closed Cup

Optical Properties	Metric	English	Comments
Refractive Index	1.412	1.412	
	@Temperature 25.0 °C	@Temperature 77.0 °F	

Descriptive Properties	Value	Comments
CAS Number	57018-52-7	

Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.com

Email : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215,Fengxian District, Shanghai City,China