

Master Bond MB297FL Cyanoacrylate Adhesive System

Category : Polymer , Adhesive , Thermoset , Acrylic/Cyanoacrylate Adhesive

Material Notes:

Vibration & shock resistant, fills gap to 0.007

Information provided by Master Bond Inc.

Order this product through the following link:

http://www.lookpolymers.com/polymer_Master-Bond-MB297FL-Cyanoacrylate-Adhesive-System.php

Physical Properties	Metric	English	Comments
Density	1.07 g/cc	0.0387 lb/in ³	
Viscosity	1500 - 1800 cP	1500 - 1800 cP	
	@Temperature 23.0 °C	@Temperature 73.4 °F	

Mechanical Properties	Metric	English	Comments
Hardness, Shore A	85	85	

Thermal Properties	Metric	English	Comments
Maximum Service Temperature, Air	85.0 °C	185 °F	
Minimum Service Temperature, Air	-53.9 °C	-65.0 °F	

Optical Properties	Metric	English	Comments
Refractive Index	1.47	1.47	

Electrical Properties	Metric	English	Comments
Dielectric Constant	3.3	3.3	
	@Frequency 1000 Hz	@Frequency 1000 Hz	

Processing Properties	Metric	English	Comments
Shelf Life	12.0 Month	12.0 Month	35-45°F

Descriptive Properties	Value	Comments
Color	Transparent	
Set-Up Time, minutes	0.166-0.833	At Room Temperature

Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.com

Email : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215,Fengxian District, Shanghai City,China