## Momentive Performance Materials Silplusâ,,¢ 60 EX Heat Cured Rubber - Extrusion

Category : Polymer , Thermoset , Rubber or Thermoset Elastomer (TSE) , Silicone , Silicone Rubber

## **Material Notes:**

Heat cured rubber is a high consistency product that can be molded, extruded or calendered using conventional rubber processing

equipment to meet a wide range of cost, durability and performance standards.Silplus 60 EX is a peroxide curable, extrusion grade, silicone

elastomer.

## Order this product through the following link:

http://www.lookpolymers.com/polymer\_Momentive-Performance-Materials-Silplus-60-EX-Heat-Cured-Rubber-Extrusion.php

Physical Properties	Metric	English	Comments
Specific Gravity	1.19 g/cc	1.19 g/cc	

Mechanical Properties	Metric	English	Comments
Hardness, Shore A	62	62	
Tensile Strength	11.0 MPa	1600 psi	
Elongation at Break	500 %	500 %	
Tear Strength	25.0 kN/m	143 pli	Die B

Optical Properties	Metric	English	Comments
Transmission, Visible	20 %	20 %	translucent; thickness unknown

Compliance Properties	Metric	English	Comments
FDA	Yes	Yes	FDA Indirect food contact - Rubber articles intended for repeated use - FDA Reg 21CFR177.2600
USP Class VI	Yes	Yes	USP Class VI methods: Intramuscular implantation, intracutaneous injection, & systematic injection

Descriptive Properties	Value	Comments
Appearance	Translucent	
BfR	product is compositionally compliant	Recommendation XV Silicones; post cured (4h/200°C)
ISO10993	Biocompatible to tested products	7 ISO 10993 tests applicable to "wet" chemicals
Water Regulations	compliant	KTW, WRAS, W270



## Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.com Email : sales@lookpolymers.com Tel : +86 021-51131842 Mobile : +86 13061808058 Skype : lookpolymers Address : United North Road 215,Fengxian District, Shanghai City,China