

Multibase Multi-Flex® TPO D-6606 BLK

Category : Polymer , Thermoplastic , Elastomer, TPE , Thermoplastic Olefinic Elastomer (TPO)

Material Notes:

Data provided by Multibase.

Order this product through the following link:

http://www.lookpolymers.com/polymer_Multibase-Multi-Flex-TPO-D-6606-BLK.php

Physical Properties	Metric	English	Comments
Density	1.17 g/cc	0.0423 lb/in ³	ASTM D792-91
Melt Flow	8.0 g/10 min	8.0 g/10 min	(Condition L) ASTM D-1238-94a

Mechanical Properties	Metric	English	Comments
Hardness, Shore D	64	64	10 sec; ASTM D-2240-95
Tensile Strength, Ultimate	>= 15.2 MPa	>= 2200 psi	ASTM D638-95
Elongation at Break	>= 100 %	>= 100 %	ASTM D638-95
Flexural Modulus	>= 1.103 GPa	>= 160.0 ksi	Secant 1%; ASTM D-790-95
Tear Strength	93.0 kN/m	531 pli	ASTM D624-95

Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.com

Email : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215,Fengxian District, Shanghai City,China