

Network Polymers NPP 25-1902

Category : Polymer , Thermoplastic , Polypropylene (PP) , Polypropylene, Molded

Material Notes:

Description: Copolymer Polypropylene Information provided by Network Polymers Inc.

Order this product through the following link:

http://www.lookpolymers.com/polymer_Network-Polymers-NPP-25-1902.php

Physical Properties	Metric	English	Comments
Density	0.893 g/cc	0.0323 lb/in ³	ASTM D792
Melt Flow	20 g/10 min @Load 2.16 kg, Temperature 230 °C	20 g/10 min @Load 4.76 lb, Temperature 446 °F	Procedure A Condition L; ASTM D1238

Mechanical Properties	Metric	English	Comments
Hardness, Rockwell R	95	95	ASTM D785
Tensile Strength, Yield	25.5 MPa	3700 psi	2 in per min; ASTM D638
Elongation at Yield	13 %	13 %	chs 2 in/min; ASTM D638
Flexural Modulus	0.689 GPa	100 ksi	Test Method I, Procedure B (chs speed 0.05 in/min); ASTM D790
Izod Impact, Notched	0.854 J/cm	1.60 ft-lb/in	Test Method A (0.125 in bar); ASTM D256
Impact	2.1	2.1	ft-lb/in Charpy Impact, notched; ASTM D256

Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.com

Email : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215,Fengxian District, Shanghai City,China