

Niche Polymer ABSN3BK ABS

Category : Polymer , Thermoplastic , ABS Polymer

Material Notes:

Information provided by Niche Polymer

Order this product through the following link:

http://www.lookpolymers.com/polymer_Niche-Polymer-ABSN3BK-ABS.php

Physical Properties	Metric	English	Comments
Linear Mold Shrinkage	0.00600 cm/cm	0.00600 in/in	ASTM D955
Melt Flow	8.00 g/10 min	8.00 g/10 min	ASTM D123
	@Load 3.80 kg, Temperature 230 °C	@Load 8.38 lb, Temperature 446 °F	

Mechanical Properties	Metric	English	Comments
Tensile Strength at Break	45.0 MPa	6530 psi	ASTM D638
Elongation at Break	2.00 %	2.00 %	ASTM D638
Flexural Strength	77.2 MPa	11200 psi	ASTM D790
Flexural Modulus	2.34 GPa	339 ksi	ASTM D790
Izod Impact, Unnotched	1.60 J/cm	3.00 ft-lb/in	ASTM D256
	@Thickness 3.17 mm	@Thickness 0.125 in	

Thermal Properties	Metric	English	Comments
Deflection Temperature at 1.8 MPa (264 psi)	94.00 °C	201.2 °F	ASTM D648

Descriptive Properties	Value	Comments
Color	Black	

Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.com

Email : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215,Fengxian District, Shanghai City,China