

## **Petromont 7000 Medium Density Polyethylene Resin**

Category : Polymer , Thermoplastic , Polyethylene (PE) , MDPE

## Material Notes:

Petromont HDPE 7000 is a medium-density polyethylene hexene modified resin with an excellent balance of chemical resistance and durability. It is readily processed by blown sheet or flat die extrusion equipment.Petromont HDPE 7000 is an unpigmented polyethylene compound which, after proper incorporation of carbon black, may be used for geomembrane applications, such as liners for landfills and surface impoundments, where polyethylene is the material of choice. Comprehensive information on such facilities is available in documents issued by the U.S.A EPA.

## Order this product through the following link: http://www.lookpolymers.com/polymer\_Petromont-7000-Medium-Density-Polyethylene-Resin.php

Physical Properties	Metric	English	Comments
Density	0.9375 g/cc	0.03387 lb/in <sup>3</sup>	ASTM D1505
ESCR 100% Igepal®	>= 2000 hour	>= 2000 hour	F <sub>50</sub> ; ASTM D1693-B
Oxidative Induction Time (OIT)	>= 100 min	>= 100 min	At 200°C with oxygen in aluminum pan.; ASTM D3895
Melt Flow	0.10 g/10 min	0.10 g/10 min	I <sub>2</sub> ; ASTM D1238
	12 g/10 min	12 g/10 min	I <sub>21</sub> ; ASTM D238

Mechanical Properties	Metric	English	Comments
Tensile Strength at Break	31.0 MPa	4500 psi	ASTM D638
Tensile Strength, Yield	20.0 MPa	2900 psi	ASTM D638
Elongation at Break	>= 850 %	>= 850 %	ASTM D638
Flexural Modulus	0.650 GPa	94.3 ksi	ASTM D790

Descriptive Properties	Value	Comments
Process	Sheet Extrusion	

## Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.com Email : sales@lookpolymers.com Tel : +86 021-51131842 Mobile : +86 13061808058 Skype : lookpolymers Address : United North Road 215,Fengxian District, Shanghai City,China