

Solvay RHODICARE T Surfactant

Category : Fluid

Material Notes:

Description: Rhodicare® T is high purity grade specifically designed for thickening and suspension in clear formulations. It has high electrolyte stability over a wide range of pH and fast hydration rate. It exhibits Pseudo-plastic non-thixotropic behaviour, antisyneresis agent and reduces gel exudation. Approved for Ecocert.C.T.F.A. /I.N.C.I. Name: XANTHAN GUMCAS: 11138 - 66 " 2EINECS: 234 " 394-2Recommended use level: 0.2 - 1%.Soluble in waterCompatible with Non-ionic, anionic and amphoteric surfactants.Available in: Asia Pacific, Europe, Latin America and North AmericaApplications: Sodium salt of an anionic high molecular weight hetero-polysaccharide produced by pure culture fermentation of Xanthomonas campestris, purified by recovery with isopropanol, dried and milled. Thickening and stabilizing hydrocolloid giving aqueous solutions of high viscosity and high yield value even at low concentrations, not affected by temperature. Pseudo-plastic non thixotropic behaviour. Effective suspending and stabilizing agent for multi-phasic systems: aqueous suspensions, emulsions and foams, easily sprayable, flowable, pumpable (creams and lotions, toothpastes). Thickening agent for creams, suspensions, shampoos, gels; synergistic effect with galactomannanes, glucomannanes. Anti-syneresis agent, reduces gel exudation.Information provided by Rhodia, Rhodia has been acquired by Solvay.

Order this product through the following link:
http://www.lookpolymers.com/polymer_Solvay-RHODICARE-T-Surfactant.php

Physical Properties	Metric	English	Comments
Bulk Density	0.700 - 0.800 g/cc	0.0253 - 0.0289 lb/in³	
Particle Size	180 µm	180 µm	95 min, 80 mesh; TI-2087
	250 µm	250 µm	99.5 min, 60 mesh; TI-2087
pH	6.0 - 8.0	6.0 - 8.0	1% aqueous sol.; TI-2076
Brookfield Viscosity	1400 - 1700 cP	1400 - 1700 cP	1% in 1% KCl, LVT, 60 rpm, spindle 3; TI-1110

Processing Properties	Metric	English	Comments
Shelf Life	24.0 Month	24.0 Month	

Descriptive Properties	Value	Comments
Appearance	Fine powder	
Color	Creamy white	
Composition	2-Propanol	<750 ppm, TI-2105
	Arsenic as As	<2 ppm, USP
	Ash	6.5-16%, TI-0130
	Entero-bacteria & other Gram Neg.	Absence in 1g, TI-2185

Descriptive Properties	Value	Comments
	Heavy metal as Pb	<10 ppm, TI-2109
	Pseudomonas aeruginosa	Absence in 1g, TI-2073
	Staphylococcus aureus	Absence in 1g, TI-2073
	Total viable aerobic count	<500 cfu/g, TI-2070
	Yeasts and moulds	<100 cfu/g, TI-2071
Loss on drying	7-13%	TI-0515

Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.com

Email : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215,Fengxian District, Shanghai City,China