

## 3M Temflex™ 2155 Rubber Splicing Tape

Category: Polymer, Adhesive, Thermoset, Rubber or Thermoset Elastomer (TSE)

## **Material Notes:**

Temflex 2155 Rubber Splicing Tape is a conformable self-fusing rubber electrical insulating tape. It is designed for low voltage electrical insulating and moisture sealing applications. Temflex 2155 is UL Listed for use up to 600 volts. Information provided by 3M

Order this product through the following link:

http://www.lookpolymers.com/polymer\_3M-Temflex-2155-Rubber-Splicing-Tape.php

Physical Properties	Metric	English	Comments
Thickness	762 microns	30.0 mil	

Mechanical Properties	Metric	English	Comments
Tensile Strength at Break	2.07 MPa	300 psi	
Elongation at Break	700 %	700 %	

Thermal Properties	Metric	English	Comments
Maximum Service Temperature, Air	80.0 °C	176 °F	

Electrical Properties	Metric	English	Comments
Dielectric Strength	23.6 kV/mm	600 kV/in	

Descriptive Properties	Value	Comments
Appearance	Black	

## **Contact Songhan Plastic Technology Co.,Ltd.**

Website: www.lookpolymers.com Email: sales@lookpolymers.com

Tel: +86 021-51131842 Mobile: +86 13061808058

Skype: lookpolymers

Address: United North Road 215, Fengxian District, Shanghai City, China