

ACC MM50T Low Tear Condensation Cure 2-Part Molding Rubber

Category : Polymer , Thermoset , Rubber or Thermoset Elastomer (TSE) , Silicone

Material Notes:

Part of the Amber Chemical Group. Data provided by manufacturer. Characteristics: low viscosity, good resistance to styrene attack, easy degassing, low shrinkage, range of catalysts. Applications: shoe sole moulding, leather reproduction, moulds without undercuts.

Order this product through the following link:

http://www.lookpolymers.com/polymer_ACC-MM50T-Low-Tear-Condensation-Cure-2-Part-Molding-Rubber.php

Physical Properties	Metric	English	Comments
Viscosity	12000 cP	12000 cP	

Mechanical Properties	Metric	English	Comments
Hardness, Shore A	6.0	6.0	
Tensile Strength, Yield	1.70 MPa	247 psi	
Elongation at Break	750 %	750 %	
Tear Strength	9.00 kN/m	51.4 pli	

Descriptive Properties	Value	Comments
Color	White	

Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.com

Email : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215,Fengxian District, Shanghai City,China