

Asahi Glass Fluon® CD123 PTFE Coagulated Dispersion Powder

Category : Polymer , Thermoplastic , Fluoropolymer , PTFE , PTFE Powder

Material Notes:

Fluon®PTFE coagulated dispersion powders (fine powders) are used for paste extrusion to make tapes, tubes, rods and wire coatings. Information provided by Asahi Glass Company, Inc.

Order this product through the following link:

http://www.lookpolymers.com/polymer_Asahi-Glass-Fluon-CD123-PTFE-Coagulated-Dispersion-Powder.php

Physical Properties	Metric	English	Comments
Specific Gravity	2.16 g/cc	2.16 g/cc	
Bulk Density	0.540 g/cc	0.0195 lb/in ³	
Particle Size	475 µm	475 µm	

Mechanical Properties	Metric	English	Comments
Tensile Strength at Break	39.0 MPa	5660 psi	ASTM D1457
Elongation at Break	300 %	300 %	ASTM D1457

Descriptive Properties	Value	Comments
Max Reduction Ratio	300	
Relative Extrusion Pressure	2.3	

Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.com

Email : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215,Fengxian District, Shanghai City,China