

## Chesterton 296 Electro Contact Cleaner

Category : Fluid , Solvent

**Material Notes:**

Chesterton® 296 EU Electro Contact Cleaner (ECC) represents the latest advance in technology toward the search for more environmentally acceptable alternatives to CFC's, HCFC's, PFC's, TCE & DCE. Chesterton 296 EU CSS is a state of the art, precision cleaning solvent designed specifically to replace CFC-113, HCFC-141b and other ozone depleting materials. It is a highly effective non-corrosive, non-flammable solvent cleaner for the electrical and electronic contacts and assemblies. This non-ozone depleting solvent system utilizes new technology to quickly remove light oils, particulates, fluorolubricants like Krytox® Grease, fluoropolymers and other contaminants from metal contact. Chesterton 296 EU ECC is specifically designed to restore and improve electrical continuity on energized equipment.

Features: Nonflammable Fast Evaporation Low Residue Non-Corrosive High Purity High Dielectric Strength Non Ozone Depleting Potential NO VOC's Replaces CFC-113, HCFC-141b, TCE, DCE & PFC's Removes Fluorinated Lubricants Safe for Plastic Benefits: Safer to use than petroleum based products Saves production time No rinsing required Safe on most materials Can be used on energized equipment Less damaging to the environment Suggested Uses: Spray Cleaning of: Switches Controller Panel Meters Circuit Boards Contacts Levers Control Panels Hard Surface Degreasing of: Equipment Motors Parts in Process Information provided by Chesterton

Order this product through the following link:

[http://www.lookpolymers.com/polymer\\_Chesterton-296-Electro-Contact-Cleaner.php](http://www.lookpolymers.com/polymer_Chesterton-296-Electro-Contact-Cleaner.php)

Physical Properties	Metric	English	Comments
Specific Gravity	1.32 g/cc	1.32 g/cc	
Volatiles	100 %	100 %	
Vapor Pressure	>= 0.267 bar	>= 200 torr	ASTM D279

Thermal Properties	Metric	English	Comments
Boiling Point	29.0 °C	84.2 °F	

Descriptive Properties	Value	Comments
Appearance	Clear, transparent liquid	
Kauri-Butanol	14	

## Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.com

Email : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215, Fengxian District, Shanghai City, China