## **Colorite Polymers CS1524SP Non Lead Wire and Cable Vinyl Compound**

Category : Polymer , Thermoplastic , Vinyl (PVC) , PVC, Wire and Cable Grade

## Material Notes:

Description: Colorite specialty wire and cable compounds feature low smoke properties, excellent flame retardance, low temperature flexibility, and resistance to abrasion and chemicals. All are available in UL and non-UL grades. In addition, the engineering-grade thermoplastic elastomers we offer can stand up to the most demanding applications . . . while providing the most desirable performance characteristics at a cost that's more affordable than "ordinary" elastomers. Typical Applications: Clear flame retardant insulation & jacket for resistance wire. Information provided by Colorite Polymers.

## Order this product through the following link:

http://www.lookpolymers.com/polymer\_Colorite-Polymers-CS1524SP-Non-Lead-Wire-and-Cable-Vinyl-Compound.php

Physical Properties	Metric	English	Comments	
Specific Gravity	1.24 g/cc	1.24 g/cc	ASTM D792	
Loss On Ignition	27 %	27 %	ASTM 2863	

Mechanical Properties	Metric	English	Comments
Hardness, Shore A	91	91	10 sec; ASTM D2240
Tensile Strength, Ultimate	23.1 MPa	3350 psi	ASTM D412
Elongation at Break	330 %	330 %	ASTM D412

Thermal Properties	Metric	English	Comments	
Maximum Service Temperature, Air	105 °C	221 °F		
Brittleness Temperature	-22.0 °C	-7.60 °F	ASTM D746	

## Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.com Email : sales@lookpolymers.com Tel : +86 021-51131842 Mobile : +86 13061808058 Skype : lookpolymers Address : United North Road 215,Fengxian District, Shanghai City,China