

ConocoPhillips Hydroclear® XHP 2-Cycle Engine Oil

Category : Fluid , Lubricant

Material Notes:

Description: Conoco Hydroclear XHP 2-Cycle Engine Oil is made with an advanced, high-stability base oil and highly effective additives. This unique combination allows the product to meet full NMMA TC-W3 standards for watercraft engines, "Category 4" standards for SAE gasoline Miscibility/Fluidity and the JASO FB level of performance for air-cooled and water-cooled, land-based engines. Hydroclear XHP 2-Cycle Engine Oil provides maximum protection for marine outboard 2-cycle engines. Its high degree of detergency and dispersancy resists formation of exhaust port deposits, spark plug fouling, ring sticking, piston deposits and piston seizure. Hydroclear XHP 2-Cycle Engine Oil is exceptionally soluble in gasolines and is designed for use with either "direct injection" or "premix" engines. Information provided by ConocoPhillips.

Order this product through the following link:

http://www.lookpolymers.com/polymer_ConocoPhillips-Hydroclear-XHP-2-Cycle-Engine-Oil.php

Physical Properties	Metric	English	Comments
Specific Gravity	0.870 g/cc	0.870 g/cc	15°C
Density	0.872 g/cc @Temperature 15.6 °C	0.0315 lb/in ³ @Temperature 60.0 °F	
Brookfield Viscosity	16600 cP @Temperature -40.0 °C	16600 cP @Temperature -40.0 °F	
Kinematic Viscosity at 40°C (104°F)	25.5 cSt	25.5 cSt	
Kinematic Viscosity at 100°C (212°F)	5.1 cSt	5.1 cSt	

Thermal Properties	Metric	English	Comments
Pour Point	-53.9 °C	-65.0 °F	
Flash Point	95.0 °C	203 °F	

Descriptive Properties	Value	Comments
Color	Blue-Green	

Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.comEmail : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215, Fengxian District, Shanghai City, China