

Dow Latex XZ 92219.00 Experimental Latex

Category: Polymer, Thermoplastic, Styrene-Butadiene

Material Notes:

Description: XZ 92219.00 Experimental latex is an aqueous dispersion of a modified carboxylated styrene butadiene copolymer. It has been developed for use as a woven backing latex where a medium stiff handle is required. Applications: Woven carpet backsizingInformation provided by Styron

Order this product through the following link:

http://www.lookpolymers.com/polymer_Dow-Latex-XZ-9221900-Experimental-Latex.php

Physical Properties	Metric	English	Comments
Solids Content	50 - 51 %	50 - 51 %	
Particle Mesh Size	100 Mesh	100 Mesh	<0.1 g/l residues
	325 Mesh	325 Mesh	<0.2 g/l residues
pH	6.7 - 7.3	6.7 - 7.3	
Brookfield Viscosity	100 - 300 cP	100 - 300 cP	#2 @ 50 rpm

Descriptive Properties	Value	Comments
Minimum film formation temperature	20°C	
Styrene content in polymer	0.63	

Contact Songhan Plastic Technology Co.,Ltd.

Website: www.lookpolymers.com Email: sales@lookpolymers.com

Tel: +86 021-51131842 Mobile: +86 13061808058

Skype: lookpolymers

Address: United North Road 215, Fengxian District, Shanghai City, China