

ExxonMobil ESCOREZ™ 1304 Petroleum Hydrocarbon Resin

Category : Other Engineering Material , Additive/Filler for Polymer , Polymer , Adhesive

Material Notes:

Premium aliphatic hydrocarbon resin which is designed to tackify a variety of adhesive polymers including EVA, metallocene polyolefines, APP, APAO, natural rubber, synthetic polyisoprene, polyisobutylene, SIS block copolymers and butyl rubber. Availability: Africa & Middle East, Europe, Central America, North America and South America. Information provided by ExxonMobil Chemical

Order this product through the following link:

http://www.lookpolymers.com/polymer_ExxonMobil-ESCOREZ-1304-Petroleum-Hydrocarbon-Resin.php

Physical Properties	Metric	English	Comments
Viscosity	1300 cP	1300 cP	Melt; ETM 22-31
	@Temperature 160 °C	@Temperature 320 °F	
Molecular Weight	1300 g/mol	1300 g/mol	Mn; ETM 300-83
	2100 g/mol	2100 g/mol	Mw; ETM 300-83

Thermal Properties	Metric	English	Comments
Softening Point	100 °C	212 °F	ETM 22-4
Glass Transition Temp, Tg	53.0 °C	127 °F	ETM 300-90

Descriptive Properties	Value	Comments
Color-Initial	29 YI	ETM 22-13
Thermal Color Stability	111 YI	5 hr, 175°C, ETM 22-14
Wax Cloud Point	74°C	(22.5/32.5/45) ETM 22-10

Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.com

Email : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215, Fengxian District, Shanghai City, China