

ExxonMobil ESCOREZ™ 2184 (Europe) Petroleum Hydrocarbon Resin

Category : Other Engineering Material , Additive/Filler for Polymer , Polymer , Adhesive

Material Notes:

Aromatic modified aliphatic hydrocarbon resin giving excellent compatibility with natural and most synthetic rubbers and with EVA copolymers. It is especially useful as a single tackifier for natural rubber based PSA formulations. Availability: Africa & Middle East and Europe
Information provided by ExxonMobil Chemical. Appearance: Yellow Form(s): Pellets

Order this product through the following link:

http://www.lookpolymers.com/polymer_ExxonMobil-ESCOREZ-2184-Europe-Petroleum-Hydrocarbon-Resin.php

Physical Properties	Metric	English	Comments
Brookfield Viscosity	1000 cP @Temperature 160 °C	1000 cP @Temperature 320 °F	ETM E-31
Molecular Weight	1000 g/mol	1000 g/mol	Mn; ETM E-83
	2300 g/mol	2300 g/mol	Mw; ETM E-83

Thermal Properties	Metric	English	Comments
Softening Point	97.8 °C	208 °F	ETM based on ASTM D-6090-97; ETM E-24
Glass Transition Temp, Tg	45.0 °C	113 °F	ETM E-90

Optical Properties	Metric	English	Comments
Yellow Index	82 %	82 %	Initial, Toluene solution with 50% resin in YI.; ETM E-13

Descriptive Properties	Value	Comments
Thermal Color Stability	150 YI	5hr, 347F (175C), ETM E-15

Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.com

Email : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215,Fengxian District, Shanghai City,China