

ExxonMobil ESCOREZ™ 5690 Petroleum Hydrocarbon Resin

Category : Other Engineering Material , Additive/Filler for Polymer , Polymer , Adhesive

Material Notes:

Light colored aromatic modified, cycloaliphatic hydrocarbon resin. Designed to tackify a variety of adhesive polymers including EVA, SIS and SEBS block copolymers and polyolefins. Information provided by ExxonMobil Chemical

Order this product through the following link:

http://www.lookpolymers.com/polymer_ExxonMobil-ESCOREZ-5690-Petroleum-Hydrocarbon-Resin.php

Physical Properties	Metric	English	Comments
Viscosity	350 cP	350 cP	Melt; ETM 22-31
	@Temperature 160 °C	@Temperature 320 °F	
Molecular Weight	420 g/mol	420 g/mol	Mn; ETM 300-83
	760 g/mol	760 g/mol	Mw; ETM 300-83

Thermal Properties	Metric	English	Comments
Softening Point	90.5 °C	195 °F	ETM 22-24
Glass Transition Temp, Tg	39.0 °C	102 °F	ETM 300-90

Descriptive Properties	Value	Comments
Aromaticity	10.1%	ETM 22-50
Color - Initial	0.8 YI	ETM 22-13
Thermal Color Stability	29.2 YI	5 hr, 175°C, ETM 22-14

Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.com

Email : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215,Fengxian District, Shanghai City,China