

ExxonMobil Exxon™ IT0316 Ethylene Propylene Copolymer Rubber

Category : Polymer , Thermoset , Rubber or Thermoset Elastomer (TSE)

Material Notes:

Exxon IT0316 is an elastic ethylene propylene copolymer processing additive for use in EPDM formulations. It improves flow in extrusion dies and increases extrusion speed with minimal effect on properties when used at 10 phr. It can also be utilized in butyl/EPDM formulations designed for use in inner tubes, increasing tack and green strength. Key Features: Improves extrusion speed.Maintains properties at up to 10 phr.Works in EPDM hose, profile and inner tube formulations.Free flowing pellets. Availability: Africa & Middle East, Europe, North America, Asia Pacific, Latin America and South AmericaInformation provided by ExxonMobil Chemical.

Order this product through the following link:

http://www.lookpolymers.com/polymer_ExxonMobil-Exxon-IT0316-Ethylene-Propylene-Copolymer-Rubber.php

Physical Properties	Metric	English	Comments
Mooney Viscosity	22 @Temperature 125 °C	22 @Temperature 257 °F	ML(1+4), Radial cavity dies, polymer remassed at 145±°C; ASTM D1646

Descriptive Properties	Value	Comments
Ethylene Content	16 %	ASTM D3900

Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.com

Email : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215,Fengxian District, Shanghai City,China