

## ExxonMobil Solvesso™ Aromatic 200 ND Aromatic Fluid

Category : Fluid

**Material Notes:**

Appearance: Transparent-Slight Yellow Liquid Availability: North America Information provided by ExxonMobil

Order this product through the following link:

[http://www.lookpolymers.com/polymer\\_ExxonMobil-Solvesso-Aromatic-200-ND-Aromatic-Fluid.php](http://www.lookpolymers.com/polymer_ExxonMobil-Solvesso-Aromatic-200-ND-Aromatic-Fluid.php)

Physical Properties	Metric	English	Comments
Density	0.993 g/cc @Temperature 15.6 °C	0.0359 lb/in <sup>3</sup> @Temperature 60.0 °F	ASTM D4052
Kinematic Viscosity	3.46 cSt	3.46 cSt	ASTM D445
Vapor Pressure	<= 0.000133 bar @Temperature 20.0 °C	<= 0.100 torr @Temperature 68.0 °F	ExxonMobil Method

Thermal Properties	Metric	English	Comments
Boiling Point	238 °C	460 °F	Initial; ASTM D86
Flash Point	113 °C	235 °F	ASTM D56

Descriptive Properties	Value	Comments
Aniline Point	57°F	Mixed, Method E, ASTM D611
Aromatic Content	>99%	FIA, ASTM D1319
Dry Point	235°F	ASTM D86

## Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.com

Email : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215,Fengxian District, Shanghai City,China