

Isoflon Tisoflon® 3G Polytetrafluoroethylene & Graphite Coated Glass Fabric

Category : Ceramic , Glass , Glass Fiber , Polymer , Thermoplastic , Fluoropolymer , PTFE

Material Notes:

PTFE + Graphite coated glass fabric TISOFLON® - Black anti-static Information provided by Isoflon.

Order this product through the following link:

http://www.lookpolymers.com/polymer_Isoflon-Tisoflon-3G-Polytetrafluoroethylene-Graphite-Coated-Glass-Fabric.php

Physical Properties	Metric	English	Comments
Thickness	70.0 microns	2.76 mil	
Coating Weight	130 g/m ²	81.3 lb/ream	entire thickness; NF EN ISO 2286.2

Mechanical Properties	Metric	English	Comments
Tear Strength	12.0 - 16.0 kN/m	68.5 - 91.3 pli	NF EN ISO 1421

Thermal Properties	Metric	English	Comments
Maximum Service Temperature, Air	260 Å°C	500 Å°F	
Minimum Service Temperature, Air	-150 Å°C	-238 Å°F	

Electrical Properties	Metric	English	Comments
Surface Resistivity per Square	<= 1.00e+6 ohm	<= 1.00e+6 ohm	ASTM D 257-28

Descriptive Properties	Value	Comments
PTFE Content (%)	61	

Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.com

Email : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215,Fengxian District, Shanghai City,China