

Kazanorgsintez Polyethyleneglycol-68

Category : Polymer , Thermoplastic , Polyethylene (PE)

Material Notes:

Production Method: Obtained by interaction of ethylene oxide with polyethyleneglycol-9 in presence of catalyst. Application:

Polyethyleneglycol-68 finds its application in production of man-made fibers as a modifier, in particular for production of high-strength viscose cords. Information Provided by Kazanorgsintez

Order this product through the following link:

http://www.lookpolymers.com/polymer_Kazanorgsintez-Polyethyleneglycol-68.php

Component Elements Properties	Metric	English	Comments
Free Water	35 - 40 %	35 - 40 %	

Chemical Properties	Metric	English	Comments
Acid Value	<= 0.10	<= 0.10	Acid or alkali neutralization number, mg of KOH/g of PEG-68

Descriptive Properties	Value	Comments
Appearance	Transparent liquid without mechanical impurities	
Color	40	Hazen units
Hydroxyl Number, mg of KOH/g of PEG-68	34-40	

Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.com

Email : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215, Fengxian District, Shanghai City, China