

## Kuraray HYBRAR® Low Rebound Compound # 2 Control

Category: Polymer, Thermoplastic, Elastomer, TPE, Thermoplastic Elastomer, Melt-Processible Rubber

## **Material Notes:**

Description: HYBRAR® is another in the series of new high performance thermoplastic rubbers developed by KURARAY using their unique isoprene technology. HYBRAR® is a special thermoplastic rubber which exhibits high vibration damping properties at room temperatures. Both hydrogenated and non-hydrogenated grades of HYBRAR® are available. In addition to the superior vibration damping properties, hydrogenated grades also exhibit excellent miscibility with polypropylene, and may be used to produce blends with excellent transparency, flexibility and mechanical properties. Blends of HYBRAR® with ordinary styrenic soft compounds exhibit excellent rebound properties. Formulation (parts by weight): SEPTON® 4055 - 100, HYBRAR® 5127 - 0, Paraffin Oil - 180, Polypropylene - 50Information provided by The Kuraray Group.

## Order this product through the following link:

http://www.lookpolymers.com/polymer\_Kuraray-HYBRAR-Low-Rebound-Compound-2-Control.php

Physical Properties	Metric	English	Comments
Melt Index of Compound	5.0 g/10 min	5.0 g/10 min	
	@Load 2.16 kg, Temperature 230 °C	@Load 4.76 lb, Temperature 446 °F	

Mechanical Properties	Metric	English	Comments
Hardness, Shore A	48	48	
Tensile Strength, Ultimate	9.30 MPa	1350 psi	
Elongation at Break	990 %	990 %	
Tensile Modulus	0.000300 GPa	0.0435 ksi	
Rebound	40 %	40 %	
Compression Set	41 %	41 %	70°C, 22 hours

## Contact Songhan Plastic Technology Co.,Ltd.

Website: www.lookpolymers.com Email: sales@lookpolymers.com

Tel: +86 021-51131842 Mobile: +86 13061808058

Skype: lookpolymers

Address: United North Road 215, Fengxian District, Shanghai City, China