

Michelman® Licomer® W 315 FP Anionic / Nonionic polyethylene emulsion

Category : Fluid , Other Engineering Material , Additive/Filler for Polymer , Polymer , Thermoplastic , Polyethylene (PE)

Material Notes:

Description: Anionic / Nonionic polyethylene emulsion Usage: Licomer® W 315 FP is a high anti-slip emulsion suitable for floors, finishes on shoes, leather, etc. Information provided by Michelman®

Order this product through the following link:

http://www.lookpolymers.com/polymer_Michelman-Licomer-W-315-FP-Anionic-Nonionic-polyethylene-emulsion.php

Physical Properties	Metric	English	Comments
Specific Gravity	0.990 - 1.00 g/cc	0.990 - 1.00 g/cc	
Volatiles	81 - 83 %	81 - 83 %	
pH	8.0 - 9.5	8.0 - 9.5	
Brookfield Viscosity	<= 140 cP	<= 140 cP	

Processing Properties	Metric	English	Comments
Shelf Life	12.0 Month	12.0 Month	

Descriptive Properties	Value	Comments
Appearance	White liquid	
Emulsifier Charge	Anionic/Nonionic	
Solids Type	Polyethylene	

Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.com

Email : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215, Fengxian District, Shanghai City, China