

Minelco FireCarb TEG-345 Expandable Graphite

Category: Carbon, Graphite, Other Engineering Material, Additive/Filler for Polymer

Material Notes:

High quality crystalline flake graphite that has a medium to high source of carbon, typically 80 â€" 99%Expandable graphite belongs to a group of products called "intumescents." The primary property of intumescents is their ability to expand when heated. On exposure to heat, the retained solutions within FireCarb produce a gas that expands and forces open the graphite platelets. The expansion that expandable graphite offers (up to 350 x volume at 1000°C) makes it more effective than conventional intumescents. This expansion has the added benefit of creating high pressure, especially when mechanically restricted, and at the same time an insulating carbonaceous char is formed which protects the substructure from the heat source. Typically expansion starts at 170°C, however delayed expansion products can be manufactured to the customers specification. Applications: Passive Fire Protection, Bituminous Roofing Systems, Plastic & Rubber Compounds, Foam, Hot Topping Compounds

Order this product through the following link:

http://www.lookpolymers.com/polymer_Minelco-FireCarb-TEG-345-Expandable-Graphite.php

Physical Properties	Metric	English	Comments
Volatiles	<= 12 %	<= 12 %	
Particle Mesh Size	>= 50 Mesh	>= 50 Mesh	80%; ASTM E11-87
рН	5.0 - 7.0	5.0 - 7.0	

Component Elements Properties	Metric	English	Comments
Carbon, C	95 %	95 %	

Processing Properties	Metric	English	Comments
Moisture Content	<= 1.0 %	<= 1.0 %	

Descriptive Properties	Value	Comments
Appearance	Black flakes	
Expansion, ml/gm	250	1000°C

Contact Songhan Plastic Technology Co.,Ltd.

Website: www.lookpolymers.com Email: sales@lookpolymers.com

Tel: +86 021-51131842 Mobile: +86 13061808058

Skype: lookpolymers

Address: United North Road 215, Fengxian District, Shanghai City, China

