

Momentive Performance Materials HCV Boron Nitride (BN) Powder

Category: Ceramic, Nitride

Material Notes:

Grade HCV is a 95%, -325 mesh hexagonal Boron Nitride (BN) powder exhibiting the unique properties of BN in a form readily used in the production of many advanced materials. Grade HCV is an initial synthesis BN powder made up of agglomerated submicron crystals with a mean particle size range of 7-11µBoron Nitride powders are produced by GE Advanced Ceramics in more than 50 individual (standard and custom) grades to meet a wide variety of application needs. For use in: Electrically insulating/thermally conductive fillers for heaters, polymer matrices, adhesives, pastes and potting compounds. Lubrication applications for extreme heat or cold, extreme pressure, vacuum environments or harsh chemical exposures. Refractories and refractory coatings. Mold/die release. Metal/ceramic and ceramic/matrix composites. General Characteristics of Boron Nitride: Electrical Insulator, Low Dielectric Constant, Low Dielectric Loss, High Temperature Stability, Thermal Conductor, Lubricious, Inert, Non-Wetting. Information provided by Momentive Performance Materials, formerly GE Advanced Ceramics.

Order this product through the following link:

http://www.lookpolymers.com/polymer_Momentive-Performance-Materials-HCV-Boron-Nitride-BN-Powder.php

Physical Properties	Metric	English	Comments
Apparent Bulk Density	0.500 g/cc	0.0181 lb/in³	Tap density
Particle Size	7.0 - 11 μm	7.0 - 11 μm	Mean particle size is 7 to 11 μm. Crystal size is 0.1 μm. %-325 mesh is 95%.
Specific Surface Area	40 m²/g	40 m²/g	

Descriptive Properties	Value	Comments
Color	White	
Crystal Structure	Hexagonal	(Turbostratic)

Contact Songhan Plastic Technology Co.,Ltd.

Website: www.lookpolymers.com Email: sales@lookpolymers.com

Tel: +86 021-51131842 Mobile: +86 13061808058

Skype: lookpolymers

Address: United North Road 215, Fengxian District, Shanghai City, China