

## Nilit Polynil® P-240 General Purpose Nylon 66

Category : Polymer , Thermoplastic , Nylon , Nylon 66 , Nylon 66 , Unreinforced

**Material Notes:**

High Viscosity. Moisture content

Order this product through the following link:

[http://www.lookpolymers.com/polymer\\_Nilit-Polynil-P-240-General-Purpose-Nylon-66.php](http://www.lookpolymers.com/polymer_Nilit-Polynil-P-240-General-Purpose-Nylon-66.php)

Physical Properties	Metric	English	Comments
Density	1.12 - 1.15 g/cc	0.0405 - 0.0415 lb/in <sup>3</sup>	ASTM D792
Apparent Bulk Density	0.700 g/cc	0.0253 lb/in <sup>3</sup>	ASTM D1895
Viscosity Measurement	220 - 260 @Temperature 25.0 °C	220 - 260 @Temperature 77.0 °F	relative viscosity, NILIT PO 48 3 404.01. 8.4% solution in formic acid

Thermal Properties	Metric	English	Comments
Melting Point	258 °C	496 °F	ASTM D3418

## Contact Songhan Plastic Technology Co.,Ltd.

Website : [www.lookpolymers.com](http://www.lookpolymers.com)

Email : [sales@lookpolymers.com](mailto:sales@lookpolymers.com)

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215,Fengxian District, Shanghai City,China