

## SABIC Innovative Plastics PPO 640 PPO (Asia Pacific)

Category : Polymer , Thermoplastic , Polyphenylene Ether/PPO

### Material Notes:

PPO\* 640 resin is a medium-high molecular weight polymer based on Polyphenylene Ether (PPE). PPO\* is intended for use as an additive or a building block in a variety of thermoplastics and thermoplastic elastomers like Styrenic Block Copolymers. PPO\* resin can be used to improve properties like Heat Distortion and Creep Resistance. It is hydrolytically stable and non-hydroscopic (typically less than 0.2% water uptake). The polymer is soluble in common organic solvents like toluene, chloroform, and THF. Chemical name: Poly (2,6-dimethyl-, 1,4-phenylene ether) (PPE) Formula: (C<sub>8</sub>H<sub>8</sub>O)<sub>n</sub> Regulatory Status: Complies with the FDA regulation 21CFR 177..2460. Also complies with EU Directive 2002/72/EC.

Order this product through the following link:

[http://www.lookpolymers.com/polymer\\_SABIC-Innovative-Plastics-PPO-640-PPO-Asia-Pacific.php](http://www.lookpolymers.com/polymer_SABIC-Innovative-Plastics-PPO-640-PPO-Asia-Pacific.php)

Physical Properties	Metric	English	Comments
Bulk Density	0.476 g/cc	0.0172 lb/in <sup>3</sup>	ISO 1183
Particle Size	200 Åµm	200 Åµm	SABIC Method
Viscosity Measurement	0.40	0.40	Intrinsic Viscosity [dl/g]; SABIC Method
Molecular Weight	56200 g/mol	56200 g/mol	Mw; SABIC Method

Thermal Properties	Metric	English	Comments
Transformation Temperature, Tg	216 Å°C	421 Å°F	half width; SABIC Method

Descriptive Properties	Value	Comments
Mn	19900	SABIC Method
Phenolic End-group Content	890ppm	SABIC Method
Physical Form	POWDER	SABIC Method
Toluene Content	<1500ppm	SABIC Method

## Contact Songhan Plastic Technology Co.,Ltd.

Website : [www.lookpolymers.com](http://www.lookpolymers.com)

Email : [sales@lookpolymers.com](mailto:sales@lookpolymers.com)

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215,Fengxian District, Shanghai City,China