Silon Taborex TA 2143 HD Catalyst Masterbatch

Category: Other Engineering Material, Catalyst/Initiator

Material Notes:

Masterbatch for the use with SILON PE-Xb Compounds TA 1108 HD, TA 1132 HD and TA 1134 HD. TABOREX TA 2143 HD contains a crosslinking catalyst and a part of the long term stabilising system for the finished product. In addition it carries a special additive to protect the polymer from degradation caused by metal ions. Together with the above-mentioned grafted Polyethylene Compounds TABOREX TA 2143 HD Masterbatch forms a Sioplas System (PE-Xb) and provides processing and long term stability for the final product. Information provided by Silon

Order this product through the following link: http://www.lookpolymers.com/polymer_Silon-Taborex-TA-2143-HD-Catalyst-Masterbatch.php

Physical Properties	Metric	English	Comments
Bulk Density	0.540 g/cc	0.0195 lb/in³	
Density	0.970 g/cc	0.0350 lb/in³	
Volatiles	>= 0.050 %	>= 0.050 %	
Melt Flow	8.5 g/10 min	8.5 g/10 min	
	@Load 2.16 kg, Temperature 190 °C	@Load 4.76 lb, Temperature 374 °F	
Storage Temperature	<= 25.0 °C	<= 77.0 °F	

Descriptive Properties	Value	Comments
Color	White, translucent	

Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.com Email : sales@lookpolymers.com Tel : +86 021-51131842 Mobile : +86 13061808058 Skype : lookpolymers Address : United North Road 215,Fengxian District, Shanghai City,China