

## **Sinotek Materials MD-6 Graphite Emulsion**

Category: Carbon, Graphite, Fluid, Lubricant

## **Material Notes:**

The graphite emulsion is forged with patented equipment and a unique recipe. It is an ideal lubricant for high-temperature demolding in hot processing of non-ferrous metal. The superior products are used in aviation and space flight as well as extrusion of warheads and cartridge cases. With ideal high-temperature lubricity and cohesiveness, it makes demolding easy. It is chemically stable, non-corrosive and non-toxic. It can improve the moulding quality and remarkably prolong the life of moulds. An example of application is light alloy extruding. Information provided by Sinotek

Order this product through the following link:

http://www.lookpolymers.com/polymer\_Sinotek-Materials-MD-6-Graphite-Emulsion.php

| Physical Properties | Metric | English | Comments |
|---------------------|--------|---------|----------|
| Solids Content      | 40 %   | 40 %    |          |

| Descriptive Properties                         | Value | Comments |
|--|-------|----------|
| Graphite Content %                             | 25    |          |
| Subsidency After 3 hrs, 20 Times of Dilution % | 40    |          |

## **Contact Songhan Plastic Technology Co.,Ltd.**

Website: www.lookpolymers.com Email: sales@lookpolymers.com

Tel: +86 021-51131842 Mobile: +86 13061808058

Skype: lookpolymers

Address: United North Road 215, Fengxian District, Shanghai City, China