

Solvay Chemicals (CsAlF₄) Cesium Tetrafluoroaluminate

Category : Ceramic

Material Notes:

Flux for brazing aluminum. Particularly suitable for flame brazing of magnesium-containing aluminum alloys.HS No.: 38109090 /CAS-No.:

39211-00-2Uses: Automotive Sector, Commercial & Residential Air Conditioning, Refrigeration and Household & Electrical

AppliancesInformation provided by Solvay

Order this product through the following link:

http://www.lookpolymers.com/polymer_Solvay-Chemicals-CsAlF4-Cesium-Tetrafluoroaluminate.php

Physical Properties	Metric	English	Comments
Bulk Density	0.800 - 1.40 g/cc	0.0289 - 0.0506 lb/in ³	
Density	3.30 g/cc @Temperature 20.0 Â°C	0.119 lb/in ³ @Temperature 68.0 Â°F	
Solubility in Water	2.0 %	2.0 %	

Thermal Properties	Metric	English	Comments
Melting Point	420 - 480 Â°C	788 - 896 Â°F	

Descriptive Properties	Value	Comments
Appearance	White powder	

Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.com

Email : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215,Fengxian District, Shanghai City,China