

## Solvay Chemicals NOCOLOK® Cs Flux

Category : Ceramic

**Material Notes:**

Flux for brazing magnesium aluminum alloysHS No.: 38109090/CAS-No.: 60304-36-1 and 138577-01-2Uses: Automotive Sector, Commercial & Residential Air Conditioning, Refrigeration and Household & Electrical AppliancesInformation provided by Solvay

Order this product through the following link:

[http://www.lookpolymers.com/polymer\\_Solvay-Chemicals-NOCOLOK-Cs-Flux.php](http://www.lookpolymers.com/polymer_Solvay-Chemicals-NOCOLOK-Cs-Flux.php)

Physical Properties	Metric	English	Comments
Bulk Density	0.350 - 0.500 g/cc	0.0126 - 0.0181 lb/in <sup>3</sup>	
Density	2.80 - 3.00 g/cc @Temperature 20.0 Â°C	0.101 - 0.108 lb/in <sup>3</sup> @Temperature 68.0 Â°F	
Solubility in Water	0.45 %	0.45 %	

Thermal Properties	Metric	English	Comments
Melting Point	558 - 566 Â°C	1040 - 1050 Â°F	

Descriptive Properties	Value	Comments
Appearance	White powder	

## Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.com

Email : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215,Fengxian District, Shanghai City,China