

Solvay Specialty Polymers Tecnoflon® FOR 210 Fluoroelastomer

Category: Polymer, Thermoset, Fluoropolymer, TS, Thermoset Fluoroelastomer, Rubber or Thermoset Elastomer (TSE)

Material Notes:

TECNOFLON® FOR 210 is a very low viscosity cure incorporated fluoroelastomer copolymer. Tecnoflon® FOR 210 is mainly intended for blending with other polymers of the Tecnoflon® family to achieve the desired viscosity. Tecnoflon® FOR 210 was developed with a new curing system that improves the physical properties of the finished product. Processing characteristics such as flow and scorch safety are also enhanced. Tecnoflon® FOR 210 is well suited for applications were superior flow, mold release and excellent compression set are required. Features: Copolymer; Good Flow; Good Mold Release; Low Compression Set; Low ViscosityUses: Belts/Belt Repair; Blending; Gaskets; Hose; Profiles; Seals; SheetAdditional Properties: Fluorine Content - 66 %Information provided by Solvay Specialty Polymers.

Order this product through the following link:

http://www.lookpolymers.com/polymer_Solvay-Specialty-Polymers-Tecnoflon-FOR-210-Fluoroelastomer.php

Physical Properties	Metric	English	Comments
Mooney Viscosity	9.0	9.0	ML 1+10; ASTM D1646
	@Temperature 121 °C	@Temperature 250 °F	

Descriptive Properties	Value	Comments	
Availability	Europe; North America		
Color	Off-White		
Form	Slab		
Processing Technique	Calendering; Compounding; Extrusion		
	Injection Molding; Resin Transfer Molding		

Contact Songhan Plastic Technology Co.,Ltd.

Website: www.lookpolymers.com Email: sales@lookpolymers.com

Tel: +86 021-51131842 Mobile: +86 13061808058 Skype: lookpolymers

Address: United North Road 215, Fengxian District, Shanghai City, China