

Solvay Specialty Polymers Tecnoflon® FOR 4353 Fluoroelastomer

Category: Polymer, Thermoset, Fluoropolymer, TS, Thermoset Fluoroelastomer, Rubber or Thermoset Elastomer (TSE)

Material Notes:

TECNOFLON® FOR 4353 is a low viscosity cure incorporated fluoroelastomer copolymer. Tecnoflon® FOR 4353 is well suited for applications where excellent compression set and superior mold release are required. Features: Copolymer; Food Contact Acceptable; Good Flow; Good Mold Release; Low Compression Set; Low ViscosityUses: Belts/Belt Repair; Blending; Gaskets; Hose; Profiles; Seals; SheetAdditional Properties: Fluorine Content - 66 %Information provided by Solvay Specialty Polymers.

Order this product through the following link:

http://www.lookpolymers.com/polymer_Solvay-Specialty-Polymers-Tecnoflon-FOR-4353-Fluoroelastomer.php

Physical Properties	Metric	English	Comments
Mooney Viscosity	20	20	ML 1+10; ASTM D1646
	@Temperature 121 °C	@Temperature 250 °F	

Compliance Properties	Metric	English	Comments
FDA	Yes	Yes	

Descriptive Properties	Value	Comments
Agency Ratings	FDA 21 CFR 177.2600	
Availability	Europe; North America	
Color	Off-White	
Form	Slab	
Processing Technique	Calendering; Compounding; Extrusion	
	Injection Molding; Resin Transfer Molding	

Contact Songhan Plastic Technology Co.,Ltd.

Website: www.lookpolymers.com Email: sales@lookpolymers.com

Tel: +86 021-51131842 Mobile: +86 13061808058

Skype: lookpolymers

Address: United North Road 215, Fengxian District, Shanghai City, China