

## Solvay Specialty Polymers Tecnoflon® P 959 Fluoroelastomer

Category: Polymer, Thermoset, Fluoropolymer, TS, Thermoset Fluoroelastomer, Rubber or Thermoset Elastomer (TSE)

## **Material Notes:**

TECNOFLON® P 959 is a medium viscosity, high fluorine (70%), peroxide curable fluoroelastomer. Tecnoflon® P 959 exhibits superior resistance to a wide variety of chemicals, coupled with excellent processability and optimum compression set. Tecnoflon® P 959 can be cross-linked using organic peroxides in conjunction with a co-agent. Features: Alcohol Resistant; Crosslinkable; Fuel Resistant; Good Chemical Resistance; Good Flow; Good Mold Release; Good Processability; Low Compression Set; Medium Viscosity; Steam ResistantUses: Belts/Belt Repair; Blending; Gaskets; Hose; Profiles; Seals; Sheet; Valves/Valve PartsAdditional Properties: Fluorine Content - 70 %Information provided by Solvay Specialty Polymers.

## Order this product through the following link:

http://www.lookpolymers.com/polymer\_Solvay-Specialty-Polymers-Tecnoflon-P-959-Fluoroelastomer.php

Physical Properties	Metric	English	Comments	
Mooney Viscosity	48	48	ML 1+10; ASTM D1646	
	@Temperature 121 °C	@Temperature 250 °F	WIL 1710, ASTIVID1040	

Descriptive Properties	Value	Comments
Availability	Europe; North America	
Color	Translucent	
Form	Slab	
Processing Technique	Calendering; Compounding	
	Compression Molding; Extrusion	
	Injection Molding; Resin Transfer Molding	

## **Contact Songhan Plastic Technology Co.,Ltd.**

Website: www.lookpolymers.com Email: sales@lookpolymers.com

Tel: +86 021-51131842 Mobile: +86 13061808058

Skype: lookpolymers

Address: United North Road 215, Fengxian District, Shanghai City, China