

Struktol PE(H)-200 Dispersion and Compounding Additive

Category: Other Engineering Material, Additive/Filler for Polymer, Polymer

Material Notes:

Homopolymer, non-oxidized polyethylene wax.STRUKTOL® PE(H)-200 is a versatile polyethylene wax (homopolymer) used in natural and synthetic elastomers. It is used to improve flow and processability. STRUKTOL® PE(H)-200 also provides good release from equipment with improved pigment dispersion and finish to molded articles.

Order this product through the following link:

http://www.lookpolymers.com/polymer_Struktol-PEH-200-Dispersion-and-Compounding-Additive.php

Physical Properties	Metric	English	Comments
Specific Gravity	0.940 g/cc	0.940 g/cc	
Additive Loading	1.0 - 4.0 %	1.0 - 4.0 %	Will not alter the properties of vulcanizates
Viscosity	33 cP	33 cP	
	@Temperature 149 °C	@Temperature 300 °F	

Processing Properties	Metric	English	Comments
Shelf Life	>= 24.0 Month	>= 24.0 Month	

Descriptive Properties	Value	Comments
Appearance	White waxy pastilles	

Contact Songhan Plastic Technology Co.,Ltd.

Website: www.lookpolymers.com Email: sales@lookpolymers.com

Tel: +86 021-51131842 Mobile: +86 13061808058 Skype: lookpolymers

Address: United North Road 215, Fengxian District, Shanghai City, China