

Teknor Apex Sinpolene MBB1232 Linear Low Density Polyethylene

Category : Polymer , Thermoplastic , Polyethylene (PE) , LLDPE , Linear Low Density Polyethylene (LLDPE), Compounding Resin

Material Notes:

Availability: Africa & Middle East; Latin America; Asia Pacific; South America Additive: Carbon Black (450000 ppm) Features: Copolymer

Uses: Compounding Forms: Pellets Processing Method: Compounding; Extrusion; Injection Molding Information Provided by Teknor Apex

Order this product through the following link:

http://www.lookpolymers.com/polymer_Teknor-Apex-Sinpolene-MBB1232-Linear-Low-Density-Polyethylene.php

Physical Properties	Metric	English	Comments
Melt Flow	4.00 g/10 min	4.00 g/10 min	ASTM D1238
	@Load 10.0 kg, Temperature 190 Â°C	@Load 22.0 lb, Temperature 374 Â°F	
	70.0 g/10 min	70.0 g/10 min	ASTM D1238
	@Load 21.6 kg, Temperature 190 Â°C	@Load 47.6 lb, Temperature 374 Â°F	

Descriptive Properties	Value	Comments
Appearance	Black	

Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.com

Email : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215,Fengxian District, Shanghai City,China