

## Teknor Apex Sinvicomp SRF 3707 Polyvinyl Chloride, Rigid

Category : Polymer , Thermoplastic , Vinyl (PVC) , PVC, Rigid Grade

### Material Notes:

Availability: Asia Pacific Features: Good Impact Resistance Uses: Fittings Forms: Pellets Processing Method: Injection Molding Information

Provided by Teknor Apex

Order this product through the following link:

[http://www.lookpolymers.com/polymer\\_Teknor-Apex-Sinvicomp-SRF-3707-Polyvinyl-Chloride-Rigid.php](http://www.lookpolymers.com/polymer_Teknor-Apex-Sinvicomp-SRF-3707-Polyvinyl-Chloride-Rigid.php)

Physical Properties	Metric	English	Comments
Specific Gravity	1.42 g/cc	1.42 g/cc	ASTM D792

Mechanical Properties	Metric	English	Comments
Tensile Strength, Yield	45.1 MPa	6540 psi	9.8 in/min; ASTM D638
Elongation at Break	100 %	100 %	9.8 in/min; ASTM D638
Izod Impact, Notched	0.587 J/cm	1.10 ft-lb/in	ASTM D256

Thermal Properties	Metric	English	Comments
Maximum Service Temperature, Air	190 °C @Time >= 1800 sec	374 °F @Time >= 0.500 hour	Congo Red; BS 2782
Vicat Softening Point	85.0 °C	185 °F	ASTM D1525

## Contact Songhan Plastic Technology Co.,Ltd.

Website : [www.lookpolymers.com](http://www.lookpolymers.com)

Email : [sales@lookpolymers.com](mailto:sales@lookpolymers.com)

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215, Fengxian District, Shanghai City, China