

## UBE 5033T Nylon 6/66 Monofilament (Drawing Ratio=5)

Category : Polymer , Thermoplastic , Nylon , Nylon 6/66

**Material Notes:**

Specialties: High viscosity Nylon 6/66 Copolymer, High transparent and tenacity, Higher drawing ratio can be achieved for superior line strength  
Applications: Small-medium size sport fishing line  
Information provided by UBE.

Order this product through the following link:

[http://www.lookpolymers.com/polymer\\_UBE-5033T-Nylon-666-Monofilament-Drawing-Ratio5.php](http://www.lookpolymers.com/polymer_UBE-5033T-Nylon-666-Monofilament-Drawing-Ratio5.php)

Physical Properties	Metric	English	Comments
Fiber Count	1470 dtex	1320 denier	

Mechanical Properties	Metric	English	Comments
Elongation at Break	38 %	38 %	Line Elongation
	38 %	38 %	Knot Elongation
Tenacity	0.618 N/tex	7.00 g/denier	Knot Strength
	0.644 N/tex	7.30 g/denier	Line Strength
	1.41 N/tex	16.0 g/denier	Tensile Modulus

Thermal Properties	Metric	English	Comments
Shrinkage	23 %	23 %	

Optical Properties	Metric	English	Comments
Transmission, Visible	90 %	90 %	transparent; thickness not quantified

## Contact Songhan Plastic Technology Co.,Ltd.

Website : [www.lookpolymers.com](http://www.lookpolymers.com)Email : [sales@lookpolymers.com](mailto:sales@lookpolymers.com)

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215,Fengxian District, Shanghai City,China