

## A. Schulman POLYBATCH™ ASC-331 Inorganic Antislip Masterbatch Based in Polyethylene

Category: Other Engineering Material, Additive/Filler for Polymer, Polymer, Thermoplastic, Polyethylene (PE)

## **Material Notes:**

DescriptionPOLYBATCH® ASC-331 is an inorganic antislip masterbatch based in polyethylene. ApplicationThis masterbatch was designed for use in moderate to heavy gauge applications to increase film to film COF. POLYBATCH® ASC-331 is typically recommended for use at 3 to 5% addition levels depending upon application requirement. Information provided by A. Schulman.

## Order this product through the following link:

http://www.lookpolymers.com/polymer\_A-Schulman-POLYBATCH-ASC-331-Inorganic-Antislip-Masterbatch-Based-in-Polyethylene.php

Physical Properties	Metric	English	Comments	
Specific Gravity	1.38 g/cc	1.38 g/cc	ASTM D792	
Loss On Ignition	50 %	50 %	ASTM D2584	
Melt Flow	2.0 g/10 min	2.0 g/10 min		
	@Load 2.16 kg, Temperature 190 °C	@Load 4.76 lb, Temperature 374 °F	ASTM D1238	

Descriptive Properties	Value	Comments
Moisture	1000	ppm, ASTM D789 @ 190°C
Pellet Count	50	pellets/gram

## **Contact Songhan Plastic Technology Co.,Ltd.**

Website: www.lookpolymers.com Email: sales@lookpolymers.com

Tel: +86 021-51131842 Mobile: +86 13061808058 Skype: lookpolymers

Address: United North Road 215, Fengxian District, Shanghai City, China